


Cable Ladder System

Cable Ladder Straight "Type Z" (Welded / Knock Down)



Cable Ladder "Type Z" - Welded (WD)

Model	Nominal Size (mm)				Thickness
	Body (LxWxH)		Splice Plate (H)		
SCL/Z-(150X50)-WD	2438 / 3000	150	50	49	2
SCL/Z-(200X50)-WD		200	50		
SCL/Z-(250X50)-WD		250	50		
SCL/Z-(300X50)-WD		300	50		
SCL/Z-(150X75)-WD		150	75	74	
SCL/Z-(200X75)-WD		200	75		
SCL/Z-(250X75)-WD		250	75		
SCL/Z-(300X75)-WD		300	75		
SCL/Z-(450X75)-WD		450	75		
SCL/Z-(600X75)-WD		600	75		
SCL/Z-(900X75)-WD		900	75		
SCL/Z-(150X100)-WD		150	100	99	
SCL/Z-(200X100)-WD		200	100		
SCL/Z-(250X100)-WD		250	100		
SCL/Z-(300X100)-WD		300	100		
SCL/Z-(400X100)-WD		400	100		
SCL/Z-(450X100)-WD		450	100		
SCL/Z-(500X100)-WD		500	100		
SCL/Z-(600X100)-WD		600	100		
SCL/Z-(750X100)-WD		750	100		
SCL/Z-(900X100)-WD		900	100		
SCL/Z-(1000X100)-WD		1000	100		
SCL/Z-(200X125)-WD		200	125	124	
SCL/Z-(250X125)-WD		250	125		
SCL/Z-(300X125)-WD	300	125			
SCL/Z-(400X125)-WD	400	125			
SCL/Z-(450X125)-WD	450	125			
SCL/Z-(500X125)-WD	500	125			
SCL/Z-(600X125)-WD	600	125			
SCL/Z-(750X125)-WD	750	125			
SCL/Z-(900X125)-WD	900	125			
SCL/Z-(1000X125)-WD	1000	125			
SCL/Z-(200X150)-WD	200	150	149		
SCL/Z-(250X150)-WD	250	150			
SCL/Z-(300X150)-WD	300	150			
SCL/Z-(400X150)-WD	400	150			
SCL/Z-(450X150)-WD	450	150			
SCL/Z-(500X150)-WD	500	150			
SCL/Z-(600X150)-WD	600	150			
SCL/Z-(750X150)-WD	750	150			
SCL/Z-(900X150)-WD	900	150			
SCL/Z-(1000X150)-WD	1000	150			

**Specification subject to change without prior notice.

Cable Ladder "Type Z" - Knock Down (KD)

Model	Nominal Size (mm)				Thickness
	Body (LxWxH)		Splice Plate (H)		
SCL/Z-(150X50)-KD	2438 / 3000	150	50	49	2
SCL/Z-(200X50)-KD		200	50		
SCL/Z-(250X50)-KD		250	50		
SCL/Z-(300X50)-KD		300	50		
SCL/Z-(150X75)-KD		150	75	74	
SCL/Z-(200X75)-KD		200	75		
SCL/Z-(250X75)-KD		250	75		
SCL/Z-(300X75)-KD		300	75		
SCL/Z-(450X75)-KD		450	75		
SCL/Z-(600X75)-KD		600	75		
SCL/Z-(900X75)-KD		900	75		
SCL/Z-(150X100)-KD		150	100	99	
SCL/Z-(200X100)-KD		200	100		
SCL/Z-(250X100)-KD		250	100		
SCL/Z-(300X100)-KD		300	100		
SCL/Z-(400X100)-KD		400	100		
SCL/Z-(450X100)-KD		450	100		
SCL/Z-(500X100)-KD		500	100		
SCL/Z-(600X100)-KD		600	100		
SCL/Z-(750X100)-KD		750	100		
SCL/Z-(900X100)-KD		900	100		
SCL/Z-(1000X100)-KD		1000	100		
SCL/Z-(200X125)-KD		200	125	124	
SCL/Z-(250X125)-KD		250	125		
SCL/Z-(300X125)-KD	300	125			
SCL/Z-(400X125)-KD	400	125			
SCL/Z-(450X125)-KD	450	125			
SCL/Z-(500X125)-KD	500	125			
SCL/Z-(600X125)-KD	600	125			
SCL/Z-(750X125)-KD	750	125			
SCL/Z-(900X125)-KD	900	125			
SCL/Z-(1000X125)-KD	1000	125			
SCL/Z-(200X150)-KD	200	150	149		
SCL/Z-(250X150)-KD	250	150			
SCL/Z-(300X150)-KD	300	150			
SCL/Z-(400X150)-KD	400	150			
SCL/Z-(450X150)-KD	450	150			
SCL/Z-(500X150)-KD	500	150			
SCL/Z-(600X150)-KD	600	150			
SCL/Z-(750X150)-KD	750	150			
SCL/Z-(900X150)-KD	900	150			
SCL/Z-(1000X150)-KD	1000	150			


*We also supply other size with the same Cable Tray profile.

Dimension in Millimeter (mm)

L : Length
W : Width
H : Height

Cable Ladder System

Cable Ladder Straight "Type G - Inner" (Welded / Knock Down)



Cable Ladder "Type G - Inner" - Welded (WD)

Model	Nominal Size (mm)				
	Body (LxWxH)		Splice Plate (H)	Thickness	
SCL/G/I-(150X50)-WD	2438 / 3000	150	50	55	2
SCL/G/I-(200X50)-WD		200	50		
SCL/G/I-(250X50)-WD		250	50		
SCL/G/I-(300X50)-WD		300	50		
SCL/G/I-(150X75)-WD		150	75	80	
SCL/G/I-(200X75)-WD		200	75		
SCL/G/I-(250X75)-WD		250	75		
SCL/G/I-(300X75)-WD		300	75		
SCL/G/I-(450X75)-WD		450	75		
SCL/G/I-(600X75)-WD		600	75		
SCL/G/I-(900X75)-WD		900	75		
SCL/G/I-(150X100)-WD		150	100	105	
SCL/G/I-(200X100)-WD		200	100		
SCL/G/I-(250X100)-WD		250	100		
SCL/G/I-(300X100)-WD		300	100		
SCL/G/I-(400X100)-WD		400	100		
SCL/G/I-(450X100)-WD		450	100		
SCL/G/I-(500X100)-WD		500	100		
SCL/G/I-(600X100)-WD		600	100		
SCL/G/I-(750X100)-WD		750	100		
SCL/G/I-(900X100)-WD		900	100		
SCL/G/I-(1000X100)-WD		1000	100		
SCL/G/I-(200X125)-WD		200	125	130	
SCL/G/I-(250X125)-WD		250	125		
SCL/G/I-(300X125)-WD		300	125		
SCL/G/I-(400X125)-WD		400	125		
SCL/G/I-(450X125)-WD		450	125		
SCL/G/I-(500X125)-WD		500	125		
SCL/G/I-(600X125)-WD		600	125		
SCL/G/I-(750X125)-WD		750	125		
SCL/G/I-(900X125)-WD		900	125		
SCL/G/I-(1000X125)-WD		1000	125		
SCL/G/I-(200X150)-WD		200	150	155	
SCL/G/I-(250X150)-WD		250	150		
SCL/G/I-(300X150)-WD		300	150		
SCL/G/I-(400X150)-WD		400	150		
SCL/G/I-(450X150)-WD		450	150		
SCL/G/I-(500X150)-WD		500	150		
SCL/G/I-(600X150)-WD		600	150		
SCL/G/I-(750X150)-WD		750	150		
SCL/G/I-(900X150)-WD		900	150		
SCL/G/I-(1000X150)-WD		1000	150		

**Specification subject to change without prior notice.

Cable Ladder "Type G - Inner" - Knock Down (KD)

Model	Nominal Size (mm)				Thickness
	Body (LxWxH)		Splice Plate (H)		
SCL/G/I-(150X50)-KD	2438 / 3000	150	50	55	2
SCL/G/I-(200X50)-KD		200	50		
SCL/G/I-(250X50)-KD		250	50		
SCL/G/I-(300X50)-KD		300	50		
SCL/G/I-(150X75)-KD		150	75	80	
SCL/G/I-(200X75)-KD		200	75		
SCL/G/I-(250X75)-KD		250	75		
SCL/G/I-(300X75)-KD		300	75		
SCL/G/I-(450X75)-KD		450	75		
SCL/G/I-(600X75)-KD		600	75		
SCL/G/I-(900X75)-KD		900	75		
SCL/G/I-(150X100)-KD		150	100	105	
SCL/G/I-(200X100)-KD		200	100		
SCL/G/I-(250X100)-KD		250	100		
SCL/G/I-(300X100)-KD		300	100		
SCL/G/I-(400X100)-KD		400	100		
SCL/G/I-(450X100)-KD		450	100		
SCL/G/I-(500X100)-KD		500	100		
SCL/G/I-(600X100)-KD		600	100		
SCL/G/I-(750X100)-KD		750	100		
SCL/G/I-(900X100)-KD		900	100		
SCL/G/I-(1000X100)-KD		1000	100		
SCL/G/I-(200X125)-KD		200	125	130	
SCL/G/I-(250X125)-KD		250	125		
SCL/G/I-(300X125)-KD		300	125		
SCL/G/I-(400X125)-KD		400	125		
SCL/G/I-(450X125)-KD		450	125		
SCL/G/I-(500X125)-KD		500	125		
SCL/G/I-(600X125)-KD		600	125		
SCL/G/I-(750X125)-KD		750	125		
SCL/G/I-(900X125)-KD		900	125		
SCL/G/I-(1000X125)-KD		1000	125		
SCL/G/I-(200X150)-KD	200	150	155		
SCL/G/I-(250X150)-KD	250	150			
SCL/G/I-(300X150)-KD	300	150			
SCL/G/I-(400X150)-KD	400	150			
SCL/G/I-(450X150)-KD	450	150			
SCL/G/I-(500X150)-KD	500	150			
SCL/G/I-(600X150)-KD	600	150			
SCL/G/I-(750X150)-KD	750	150			
SCL/G/I-(900X150)-KD	900	150			
SCL/G/I-(1000X150)-KD	1000	150			


*We also supply other size with the same Cable Tray profile.

Dimension in Millimeter (mm)

L : Length
W : Width
H : Height

Cable Ladder System

Cable Ladder Straight "Type G - Outer" (Welded)



Dimension in Millimeter (mm)

L : Length
W : Width
H : Height

Cable Ladder "Type G - Outer" - Welded (WD)

Model	Nominal Size (mm)				Thickness
	Body (LxWxH)	Splice Plate (H)			
2438 / 3000		150	50	45	2
	200	50			
	250	50			
	300	50			
	150	75	70		
	200	75			
	250	75			
	300	75			
	450	75			
	600	75			
	900	75	95		
	150	100			
	200	100			
	250	100			
	300	100			
	400	100			
	450	100			
	500	100			
	600	100			
	750	100			
	900	100			
	1000	100			
	200	125	120		
	250	125			
	300	125			
	400	125			
	450	125			
	500	125			
	600	125			
	750	125			
	900	125			
	1000	125			
200	150	145			
250	150				
300	150				
400	150				
450	150				
500	150				
600	150				
750	150				
900	150				
1000	150				

**Specification subject to change without prior notice.


*We also supply other size with the same Cable Tray profile.

Dimension in Millimeter (mm)

L : Length
W : Width
H : Height

Cable Ladder System

Cable Ladder Straight "Type C - Inner" (Welded / Knock Down)



Cable Ladder “Type C - Inner” - Welded (WD)

Model	Nominal Size (mm)			
	Body (LxWxH)		Splice Plate (H)	Thickness
SCL/C/I-(150X50)-WD	2438 / 3000	150	50	55
SCL/C/I-(200X50)-WD		200	50	
SCL/C/I-(250X50)-WD		250	50	
SCL/C/I-(300X50)-WD		300	50	
SCL/C/I-(150X75)-WD		150	75	80
SCL/C/I-(200X75)-WD		200	75	
SCL/C/I-(250X75)-WD		250	75	
SCL/C/I-(300X75)-WD		300	75	
SCL/C/I-(450X75)-WD		450	75	
SCL/C/I-(600X75)-WD		600	75	
SCL/C/I-(900X75)-WD		900	75	
SCL/C/I-(150X100)-WD		150	100	105
SCL/C/I-(200X100)-WD		200	100	
SCL/C/I-(250X100)-WD		250	100	
SCL/C/I-(300X100)-WD		300	100	
SCL/C/I-(400X100)-WD		400	100	
SCL/C/I-(450X100)-WD		450	100	
SCL/C/I-(500X100)-WD		500	100	
SCL/C/I-(600X100)-WD		600	100	
SCL/C/I-(750X100)-WD		750	100	
SCL/C/I-(900X100)-WD		900	100	
SCL/C/I-(1000X100)-WD		1000	100	
SCL/C/I-(200X125)-WD		200	125	130
SCL/C/I-(250X125)-WD		250	125	
SCL/C/I-(300X125)-WD		300	125	
SCL/C/I-(400X125)-WD		400	125	
SCL/C/I-(450X125)-WD		450	125	
SCL/C/I-(500X125)-WD		500	125	
SCL/C/I-(600X125)-WD		600	125	
SCL/C/I-(750X125)-WD		750	125	
SCL/C/I-(900X125)-WD		900	125	
SCL/C/I-(1000X125)-WD		1000	125	
SCL/C/I-(200X150)-WD		200	150	155
SCL/C/I-(250X150)-WD		250	150	
SCL/C/I-(300X150)-WD		300	150	
SCL/C/I-(400X150)-WD		400	150	
SCL/C/I-(450X150)-WD		450	150	
SCL/C/I-(500X150)-WD		500	150	
SCL/C/I-(600X150)-WD		600	150	
SCL/C/I-(750X150)-WD		750	150	
SCL/C/I-(900X150)-WD		900	150	
SCL/C/I-(1000X150)-WD		1000	150	

**Specification subject to change without prior notice.

Cable Ladder “Type C - Inner” - Knock Down (KD)

Model	Nominal Size (mm)				Thickness
	Body (LxWxH)		Splice Plate (H)		
SCL/C/I-(150X50)-KD	2438 / 3000	150	50	55	2
SCL/C/I-(200X50)-KD		200	50		
SCL/C/I-(250X50)-KD		250	50		
SCL/C/I-(300X50)-KD		300	50		
SCL/C/I-(150X75)-KD		150	75	80	
SCL/C/I-(200X75)-KD		200	75		
SCL/C/I-(250X75)-KD		250	75		
SCL/C/I-(300X75)-KD		300	75		
SCL/C/I-(450X75)-KD		450	75		
SCL/C/I-(600X75)-KD		600	75		
SCL/C/I-(900X75)-KD		900	75		
SCL/C/I-(150X100)-KD		150	100	105	
SCL/C/I-(200X100)-KD		200	100		
SCL/C/I-(250X100)-KD		250	100		
SCL/C/I-(300X100)-KD		300	100		
SCL/C/I-(400X100)-KD		400	100		
SCL/C/I-(450X100)-KD		450	100		
SCL/C/I-(500X100)-KD		500	100		
SCL/C/I-(600X100)-KD		600	100		
SCL/C/I-(750X100)-KD		750	100		
SCL/C/I-(900X100)-KD		900	100		
SCL/C/I-(1000X100)-KD		1000	100		
SCL/C/I-(200X125)-KD		200	125	130	
SCL/C/I-(250X125)-KD		250	125		
SCL/C/I-(300X125)-KD	300	125			
SCL/C/I-(400X125)-KD	400	125			
SCL/C/I-(450X125)-KD	450	125			
SCL/C/I-(500X125)-KD	500	125			
SCL/C/I-(600X125)-KD	600	125			
SCL/C/I-(750X125)-KD	750	125			
SCL/C/I-(900X125)-KD	900	125			
SCL/C/I-(1000X125)-KD	1000	125			
SCL/C/I-(200X150)-KD	200	150	155		
SCL/C/I-(250X150)-KD	250	150			
SCL/C/I-(300X150)-KD	300	150			
SCL/C/I-(400X150)-KD	400	150			
SCL/C/I-(450X150)-KD	450	150			
SCL/C/I-(500X150)-KD	500	150			
SCL/C/I-(600X150)-KD	600	150			
SCL/C/I-(750X150)-KD	750	150			
SCL/C/I-(900X150)-KD	900	150			
SCL/C/I-(1000X150)-KD	1000	150			


*We also supply other size with the same Cable Tray profile.

Dimension in Millimeter (mm)

L : Length
W : Width
H : Height

Cable Ladder System

Cable Ladder Straight "Type C - Outer" (Welded)



Cable Ladder "Type C - Outer" - Welded (WD)

Model	Nominal Size (mm)				Thickness
	Body (LxWxH)		Splice Plate (H)		
SCL/C/O-(150X50)-WD	2438 / 3000	150	50	45	2
SCL/C/O-(200X50)-WD		200	50		
SCL/C/O-(250X50)-WD		250	50		
SCL/C/O-(300X50)-WD		300	50		
SCL/C/O-(150X75)-WD		150	75	70	
SCL/C/O-(200X75)-WD		200	75		
SCL/C/O-(250X75)-WD		250	75		
SCL/C/O-(300X75)-WD		300	75		
SCL/C/O-(450X75)-WD		450	75		
SCL/C/O-(600X75)-WD		600	75		
SCL/C/O-(900X75)-WD		900	75		
SCL/C/O-(150X100)-WD		150	100	95	
SCL/C/O-(200X100)-WD		200	100		
SCL/C/O-(250X100)-WD		250	100		
SCL/C/O-(300X100)-WD		300	100		
SCL/C/O-(400X100)-WD		400	100		
SCL/C/O-(450X100)-WD		450	100		
SCL/C/O-(500X100)-WD		500	100		
SCL/C/O-(600X100)-WD		600	100		
SCL/C/O-(750X100)-WD		750	100		
SCL/C/O-(900X100)-WD		900	100		
SCL/C/O-(1000X100)-WD		1000	100		
SCL/C/O-(200X125)-WD		200	125	120	
SCL/C/O-(250X125)-WD		250	125		
SCL/C/O-(300X125)-WD		300	125		
SCL/C/O-(400X125)-WD		400	125		
SCL/C/O-(450X125)-WD		450	125		
SCL/C/O-(500X125)-WD		500	125		
SCL/C/O-(600X125)-WD		600	125		
SCL/C/O-(750X125)-WD		750	125		
SCL/C/O-(900X125)-WD		900	125		
SCL/C/O-(1000X125)-WD		1000	125		
SCL/C/O-(200X150)-WD		200	150	145	
SCL/C/O-(250X150)-WD		250	150		
SCL/C/O-(300X150)-WD		300	150		
SCL/C/O-(400X150)-WD		400	150		
SCL/C/O-(450X150)-WD		450	150		
SCL/C/O-(500X150)-WD		500	150		
SCL/C/O-(600X150)-WD		600	150		
SCL/C/O-(750X150)-WD		750	150		
SCL/C/O-(900X150)-WD		900	150		
SCL/C/O-(1000X150)-WD		1000	150		

**Specification subject to change without prior notice.

*We also supply other size with the same Cable Tray profile.

Dimension in Millimeter (mm)

L : Length
W : Width
H : Height