

SDZAM


The new standard in steel for superior protection














WHAT MAKES STRUNK DIFFERENT?

We working together with our value suppliers as a partnership.

We constantly source for new technologies to incorporate into our product portfolio and able to stay ahead to provide most economical and optimum solution to customers.

We emphasize solution that will not cause damage to environment.



The new standard in steel for superior protection









THE SUPERIOR OF TECHNOLOGY STEEL SHEET

SDZAM


The new standard in steel for superior protection


SDZAM[™] is highly corrosion-resistance coated steel sheet with a coating composition consisting of zinc as the main substrate in combination with aluminium, magnesium and a trace amount of silicon.




CORROSION PROTECTION MECHANISM CUT-END SURFACES

Cut Surface Conditions








Appearance Of Cut-end Surface











CORROSION RESISTANT OF HDG AND SDZAM™

(Salt Spray Test Result)

Hot-dip Galvanized

SDZAM™

SIRIM Test Report No: 2025CE0593

SIRIM Test Report No: 2025CE0591

Reference Standard / Method of Test

ASTM B117-19: Standard Test Methods for Salt Spray (Fog) Testing

ASTM D610-08 (2019):

Standard Practice for Evaluating Degree of Rusting on Painted Steel Surfaces

Test Condition

Duration of Exposure : 2000 Hours

Temperature of exposure zone : 35°C

Salt Solution used : 5% NaCl pH of collected solution : 6.5 - 7.2

Volume of salt collected in ml/h/80 cm² : 1.0 - 2.0 ml/hr

Test Result

Red Rust Evaluation criteria at 2000 hours:

Result = 1

(Greater than 33.0% and up to 50.0%)

Red Rust Evaluation criteria at 2000 hours:

Result = 10

(Less than or equal to 0.01%)





KEY BENEFITS OF SDZAM™ PRODUCT



Better corrosion resistance compared to HDG zinc coated



Area of Applications

Suitable for indoor and outdoor, above ground and underground



Product Delivery

Faster and predictable lead time, strong supply chain



User's Additional Profit

Less maintenance and less downtime



Authorized Distributorship From Nippon Steel & Sumitomo Metal



Cost

Lower than HDG zinc coated, stainless steel and aluminium



Safety

Unlike HDG finishing, SDZAM™ surface is smooth and hard, less accident



Standard

SIRIM & JKR Approval



Environmental

RoHS Compliance










PROJECT REFERENCE







(Corporate Office)



SIRIJAYA HOLDINGS BERHAD 201001042568 (Co. No. 926496-T)

No.9, Lebuh Perusahaan Klebang 9, IGB International Industrial Park, 31200 Chemor, Perak Darul Ridzuan.

Tel: +605-292 3888 (Hunting Line), 291 2223 - 291 2228 Fax: +605-291 2221, 291 2222

Email: marketing@sirijaya.com Website: www.sirijaya.com

(Malaysia's Subsidiaries / Factories)

SIRIJAYA INDUSTRIES SDN. BHD. 198601004670 (Co. No. 153828-D)

No.9, Lebuh Perusahaan Klebang 9, IGB International Industrial Park, 31200 Chemor, Perak Darul Ridzuan. Tel: +605-292 3888 (Hunting Line), 291 2223 - 291 2228

Fax: +605-291 2221, 2912222 Email: marketing@sirijaya.com Website: www.sirijaya.com

SIRIJAYA METAL SDN. BHD. 200901031523 (Co. No. 874633-U)

No.9, Lebuh Perusahaan Klebang 9, IGB International Industrial Park, 31200 Chemor, Perak Darul Ridzuan. Tel: +605-292 3888 (Hunting Line), 291 2223 - 291 2228

Fax:+605-291 2221, 2912222 Email:sjtrunk@sirijaya.com Website:metal.sirijaya.com



