

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

SIRIJAYA INDUSTRIES SDN. BHD.
NO. 9, LEBUH PERUSAHAAN KLEBANG 9
IGB INTERNATIONAL INDUSTRIAL PARK
31200 CHEMOR
PERAK, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

CABLE TRAY SYSTEMS AND CABLE LADDER SYSTEMS

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS IEC 61537 : 2007



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 November 2019

Certified Since

Sah Sehingga : 27 November 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 15 December 2025

Issue Date

No Siri : 120927

Serial No

SCHEDULE

SIRIJAYA INDUSTRIES SDN. BHD.



Trade Mark	: SJ TRUNK
Model	: Electro-Galvanized (EG) steel, Epoxy-powder coating; SCT/U-(50x13) EG, SCT/U-(75x13) EG, SCT/U-(100x13) EG, SCT/U-(150x13) EG, SCT/U-(200x17) EG, SCT/U-(250x17) EG, SCT/U-(300x17) EG, SCT/U-(350x20) EG, SCT/U-(400x20) EG, SCT/U-(450x20) EG, SCT/U-(500x25) EG, SCT/U-(550x25) EG, SCT/U-(600x25) EG, SCT/U-(650x25) EG, SCT/U-(700x25) EG, SCT/U-(750x25) EG, SCT/U-(800x25) EG, SCT/U-(850x25) EG, SCT/U-(900x25) EG, SCT/U-(950x25) EG, SCT/U-(1000x25) EG
Rating	: System component: Metallic, Non-flame propagating, With electrical continuity characteristics, Electrical conductivity, With metallic coating, Minimum temperature: 5°C, Maximum temperature: 40°C, Perforation in the base area: Class C, Impact resistance: 50J
Type	: Perforated.
Size	: Length, mm: 2438, Width x Height x Thickness, mm: 50 x 13 x 1.5 (SCT/U-(50x13) EG), 75 x 13 x 1.5 (SCT/U-(75x13) EG), 100 x 13 x 1.5 (SCT/U-(100x13) EG), 150 x 13 x 1.5 (SCT/U-(150x13) EG), 200 x 17 x 1.5 (SCT/U-(200x17) EG), 250 x 17 x 1.5 (SCT/U-(250x17) EG), 300 x 17 x 1.5 (SCT/U-(300x17) EG), 350 x 20 x 2.0 (SCT/U-(350x20) EG), 400 x 20 x 2.0 (SCT/U-(400x20) EG), 450 x 20 x 2.0 (SCT/U-(450x20) EG), 500 x 25 x 2.0 (SCT/U-(500x25) EG), 550 x 25 x 2.0 (SCT/U-(550x25) EG), 600 x 25 x 2.0 (SCT/U-(600x25) EG)
Perforated.	
Size	: Length, mm: 2438, Width x Height x Thickness, mm: 650 x 25 x 2.0 (SCT/U-(650x25) EG), 700 x 25 x 2.0 (SCT/U-(700x25) EG), 750 x 25 x 2.0 (SCT/U-(750x25) EG), 800 x 25 x 2.0 (SCT/U-(800x25) EG), 850 x 25 x 2.0 (SCT/U-(850x25) EG), 900 x 25 x 2.0 (SCT/U-(900x25) EG), 950 x 25 x 2.0 (SCT/U-(950x25) EG), 1000 x 25 x 2.0 (SCT/U-(1000x25) EG)

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 November 2019

Certified Since

Sah Sehingga : 27 November 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 15 December 2025

Issue Date

No Siri : 120927

Serial No

SCHEDULE

SIRIJAYA INDUSTRIES SDN. BHD.



Trade Mark	: SJ TRUNK
Model	: Superdyma (SD) steel; SCT/U-(50x13) SD, SCT/U-(75x13) SD, SCT/U-(100x13) SD, SCT/U-(150x13) SD, SCT/U-(200x17) SD, SCT/U-(250x17) SD, SCT/U-(300x17) SD, SCT/U-(350x20) SD, SCT/U-(400x20) SD, SCT/U-(450x20) SD, SCT/U-(500x25) SD, SCT/U-(550x25) SD, SCT/U-(600x25) SD, SCT/U-(650x25) SD, SCT/U-(700x25) SD, SCT/U-(750x25) SD, SCT/U-(800x25) SD, SCT/U-(850x25) SD, SCT/U-(900x25) SD, SCT/U-(950x25) SD, SCT/U-(1000x25) SD
Rating	: System component: Metallic, Non-flame propagating, With electrical continuity characteristics, Electrical conductivity, With metallic coating, Minimum temperature: 5°C, Maximum temperature: 40°C, Perforation in the base area: Class C, Impact resistance: 50J
Type	: Perforated
Size	: Length, mm: 2438, Width x Height x Thickness, mm: 50 x 13 x 1.5 (SCT/U-(50x13) SD), 75 x 13 x 1.5 (SCT/U-(75x13) SD), 100 x 13 x 1.5 (SCT/U-(100x13) SD), 150 x 13 x 1.5 (SCT/U-(150x13) SD), 200 x 17 x 1.5 (SCT/U-(200x17) SD), 250 x 17 x 1.5 (SCT/U-(250x17) SD), 300 x 17 x 1.5 (SCT/U-(300x17) SD), 350 x 20 x 2.0 (SCT/U-(350x20) SD), 400 x 20 x 2.0 (SCT/U-(400x20) SD), 450 x 20 x 2.0 (SCT/U-(450x20) SD), 500 x 25 x 2.0 (SCT/U-(500x25) SD), 550 x 25 x 2.0 (SCT/U-(550x25) SD), 600 x 25 x 2.0 (SCT/U-(600x25) SD)
Perforated	
Size	: Length, mm: 2438, Width x Height x Thickness, mm: 650 x 25 x 2.0 (SCT/U-(650x25) SD), 700 x 25 x 2.0 (SCT/U-(700x25) SD), 750 x 25 x 2.0 (SCT/U-(750x25) SD), 800 x 25 x 2.0 (SCT/U-(800x25) SD), 850 x 25 x 2.0 (SCT/U-(850x25) SD), 900 x 25 x 2.0 (SCT/U-(900x25) SD), 950 x 25 x 2.0 (SCT/U-(950x25) SD), 1000 x 25 x 2.0 (SCT/U-(1000x25) SD)

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 November 2019

Certified Since

Sah Sehingga : 27 November 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 15 December 2025

Issue Date

No Siri : 120927

Serial No

SCHEDULE

SIRIJAYA INDUSTRIES SDN. BHD.



Trade Mark	: SJ TRUNK
Model	: Galvanized Iron (GI) steel; SCT/U-(50x13) GI, SCT/U-(75x13) GI, SCT/U-(100x13) GI, SCT/U-(150x13) GI, SCT/U-(200x17) GI, SCT/U-(250x17) GI, SCT/U-(300x17) GI, SCT/U-(350x20) GI, SCT/U-(400x20) GI, SCT/U-(450x20) GI, SCT/U-(500x25) GI, SCT/U-(550x25) GI, SCT/U-(600x25) GI, SCT/U-(650x25) GI, SCT/U-(700x25) GI, SCT/U-(750x25) GI, SCT/U-(800x25) GI, SCT/U-(850x25) GI, SCT/U-(900x25) GI, SCT/U-(950x25) GI, SCT/U-(1000x25) GI
Rating	: System component: Metallic, Non-flame propagating, With electrical continuity characteristics, Electrical conductivity, With metallic coating, Minimum temperature: 5°C, Maximum temperature: 40°C, Perforation in the base area: Class C, Impact resistance: 50J
Type	: Perforated
Size	: Length, mm: 2438, Width x Height x Thickness, mm: 50 x 13 x 1.5 (SCT/U-(50x13) GI), 75 x 13 x 1.5 (SCT/U-(75x13) GI), 100 x 13 x 1.5 (SCT/U-(100x13) GI), 150 x 13 x 1.5 (SCT/U-(150x13) GI), 200 x 17 x 1.5 (SCT/U-(200x17) GI), 250 x 17 x 1.5 (SCT/U-(250x17) GI), 300 x 17 x 1.5 (SCT/U-(300x17) GI), 350 x 20 x 2.0 (SCT/U-(350x20) GI), 400 x 20 x 2.0 (SCT/U-(400x20) GI), 450 x 20 x 2.0 (SCT/U-(450x20) GI), 500 x 25 x 2.0 (SCT/U-(500x25) GI), 550 x 25 x 2.0 (SCT/U-(550x25) GI), 600 x 25 x 2.0 (SCT/U-(600x25) GI)
Perforated	
Size	: Length, mm: 2438, Width x Height x Thickness, mm: 650 x 25 x 2.0 (SCT/U-(650x25) GI), 700 x 25 x 2.0 (SCT/U-(700x25) GI), 750 x 25 x 2.0 (SCT/U-(750x25) GI), 800 x 25 x 2.0 (SCT/U-(800x25) GI), 850 x 25 x 2.0 (SCT/U-(850x25) GI), 900 x 25 x 2.0 (SCT/U-(900x25) GI), 950 x 25 x 2.0 (SCT/U-(950x25) GI), 1000 x 25 x 2.0 (SCT/U-(1000x25) GI)

TEST REPORT NO. : 2018MA1132, 2020MA1086, 2021MA0363

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 November 2019

Certified Since

Sah Sehingga : 27 November 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 15 December 2025

Issue Date

No Siri : 120927

Serial No